



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/552,985

04/21/2000

Sai V. Allavaru

5181-46200

7125

7590
Robert C Kowert
Conley Rose & Tayon PC
P O Box 398
Austin, TX 78767

06/05/2007

EXAMINER

DINH, KHANH Q

ART UNIT

PAPER NUMBER

2151

MAIL DATE

DELIVERY MODE

06/05/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 09/552,985	Applicant(s) ALLAVARPU ET AL.	
	Examiner Khanh Dinh	Art Unit 2151	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This is in response to the Amendment and Remarks filed on 3/8/2007. Claims 1-31 are presented for examination.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-5, 7-12, 14 and 17-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Carre, US pat. No.6,282,579 in view of Hamilton et al., US pat. No.5,758,186.

As to claim 1, Carre discloses a method for managing a network, the method comprising:

a client (Agent fig.2a) generating a request for type information for an attribute or event pertaining to management of one or more managed network objects, wherein each managed network object is a computer programming language object representing one or more network

Art Unit: 2151

devices on a network (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1), wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages [see abstract, fig. 2a, 2b, col.3 line 18 to col.4 line 62 and col.5 lines 4-38).

sending the request for type information to an object request broker client and receiving the translated type information for the attribute or event through the object request broker, wherein the translated type information is expressed in the interface definition language (using Object Request Broker ORB of fig.3a for protocol translation of COBRA address types from OSI types, see col.5 lines 39-65 and col.6 lines 1-29).

Carre does not specifically disclose a metadata gateway for receiving the request for type information and sending the translated type information from/to the object request broker.

However, Hamilton discloses a metadata gateway for receiving the request for type information and sending the translated type information from/to the object request broker (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 2, Carre discloses translating the type information from the database format to an abstract syntax notation and then translating the type information from the abstract syntax notation to the interface definition language (using semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 3, Carre discloses translating an abstract syntax notation (ASN1) (see col.5 lines 39-58).

As to claim 4, Carre discloses translating the type information from the abstract syntax notation to an object specification language and translating the object specification language to the interface definition language (semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 5, Carre discloses sending the request for type information to an object request broker (see fig.3a, 3b, col.5 lines 4-58 and col.6 lines 15-35). Hamilton discloses the metadata gateway receiving the request for type information from the object request broker, the metadata gateway sending the translated type information to the object request broker (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the

computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 7, Hamilton further discloses the metadata gateway is implemented on a single server computer system (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 8, Hamilton discloses the metadata gateway is distributed over a plurality of servers, wherein each of the plurality of servers presents a substantially identical view of the metadata gateway (see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

Art Unit: 2151

As to claim 9, Carre discloses the interface definition language is class independent (see fig.3b, col.4 lines 17-62 and col.5 lines 4-58).

As to claim 10, Carre discloses a method for managing a network, the method comprising:

a client (Agent 1 fig.3a) generating a request to encode type information for an object, attribute, or event pertaining to management of one or more managed network objects, wherein each managed network object is a computer programming language object representing one or more network devices on a network (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1), wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages [see abstract, fig. 2a, 2b, col.3 line 18 to col.4 line 62 and col.5 lines 4-38),

sending the request to encode (protocol translation) the type information an object request broker (ORB fig.3a) and a metadata gateway (CMISE Gateway fig.3a) receiving the request to encode the type information from the object request broker (ORB fig.3) and translating the type information from the interface definition language to a database format receiving the request for type information from the object request broker (using IDL protocol translation services from COBRA address types to OSI types, see col.5 lines 39-65 and col.6 lines 10-35).

Carre does not specifically disclose a metadata gateway for receiving the request for type information and sending the translated type information from/to the object request broker.

Art Unit: 2151

However, Hamilton discloses a metadata gateway for receiving the request for type information and sending the translated type information from/to the object request broker (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 11, Carre discloses translating the type information from the database format to an abstract syntax notation and then translating the type information from the abstract syntax notation to the interface definition language (using semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 12, Carre discloses translating the type information from the abstract syntax notation to an object specification language and translating the object specification language to the interface definition language (semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 14, Carre discloses a network management system comprising:

a metadata repository (CMISE/IDL fig.3a) comprises metadata concerning object classes for a plurality of managed objects, wherein the metadata comprising information expressed in a

Art Unit: 2151

database format, and wherein the managed objects are computer language objects corresponding to managed devices (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1, see abstract, figs.2a, 3a, abstract, col.3 lines 18-55 and col.5 lines 4-38),

wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages (translation of COBRA address types from OSI types, see col.5 lines 39-65 and col.6 lines 10-35).

Carre does not specifically disclose a metadata gateway which is communicatively coupled to the repository and to an object request broker, wherein the metadata gateway is operable to send and receive the metadata from the database, wherein the metadata gateway provides translation of the metadata to and from the database format and an interface definition language. However, Hamilton discloses a metadata gateway which is communicatively coupled to the repository and to an object request broker, wherein the metadata gateway is operable to send and receive the metadata from the database, wherein the metadata gateway provides translation of the metadata to and from the database format and an interface definition language (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 17, Carre discloses a library of data types expressed in an abstract syntax notation, wherein the abstract syntax notation comprises a metadata notation language; a plurality of object types, wherein each object type comprises one or more of the data types from the library of data types; and an interface to the plurality of object types, wherein the interface is operable to provide one or more clients with access to the metadata as expressed in the interface definition language (see fig.2a, 3a, col.4 lines 7-62 and col.5 line 39 to col.6 line 35).

As to claims 18-19 and 21, Carre discloses plurality of object types is a programming-language independent and platform independent interface including CORBA objects and COBRA ORB (see fig.2a, 3a, col.4 lines 7-62 and col.5 line 39 to col.6 line 35).

As to claim 20, Carre discloses the object request broker is configurable to be accessed by a plurality of network management clients to obtain the metadata as expressed in the generic interface (see fig.2a, 3a, col.4 lines 7-62 and col.5 line 39 to col.6 line 35).

As to claim 22, Carre discloses a carrier medium comprising program instructions, wherein the program instructions are computer-executable to implement:

Receiving the translated type information to the object request broker, wherein the type information to management one or more managed network objects, wherein each managed network object is a computer programming language object representing one or more network devices on a network (managing operations such as OSI objects on the Agent upon requests from

Art Unit: 2151

the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1) (translation of COBRA address types from OSI types, see abstract, figs.2a, 3a, abstract, col.3 lines 18 to col.5 line 62 and col.6 lines 10-35),

reading the type information from a metadata repository (CMISE/IDL fig.3a), wherein the type information is stored in a database format in the metadata repository and translating the type information from the database format to an interface definition language (using IDL protocol translation services, see abstract, col.5 lines 39-65).

Carre does not specifically disclose a metadata gateway. However, Hamilton discloses a metadata gateway for receiving a request for type information (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 23, Carre discloses translating the type information from the database format to an abstract syntax notation and then translating the type information from the abstract syntax notation to the interface definition language (using semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

Art Unit: 2151

As to claim 24, Carre discloses translating an abstract syntax notation (ASN1) (see col.5 lines 39-58).

As to claim 25, Carre discloses translating the type information from the abstract syntax notation to an object specification language and translating the object specification language to the interface definition language (semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 26, Carre discloses the interface definition language is class independent (see fig.3b, col.4 lines 17-62 and col.5 lines 4-58).

As to claim 27, Carre discloses a tangible, accessible medium comprising program instructions which are computer executable to implement:

receiving a request for type information from an object request broker, wherein the type information to management one or more managed network objects (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1) (translation of COBRA address types from OSI types, see abstract, figs.2a, 3a, abstract, col.3 lines 18 to col.5 line 62 and col.6 lines 10-35).

translating the type information from an interface definition language to a database format storing the type information in a metadata repository (using CMISE/IDL fig.3a) (using

Art Unit: 2151

IDL protocol translation services, see abstract, figs.2a, 3a, abstract, col.3 lines 18-55 and col.5 lines 39-65), wherein the type information is stored in a database format in the metadata repository (storing the OSI or COBRA structures for particular addresses already in the entity, see col.6 lines 1-35).

Carre does not specifically disclose a metadata gateway. However, Hamilton discloses a metadata gateway (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network.

As to claim 28, Carre discloses translating the type information from the database format to an abstract syntax notation and then translating the type information from the abstract syntax notation to the interface definition language (using semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 29, Carre discloses translating an abstract syntax notation (ASN1) (see col.5 lines 39-58).

Art Unit: 2151

As to claim 30, Carre discloses translating the type information from the abstract syntax notation to an object specification language and translating the object specification language to the interface definition language (semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21).

As to claim 31, Carre discloses the interface definition language is class independent (see fig.3b, col.4 lines 17-62 and col.5 lines 4-58).

4. Claims 6, 13, 15, 16 are rejected under 35 USC 103(a) as being unpatentable over Carre and Hamilton and further in view of Kung et al., US pat. No.6,775,267.

As to claims 6, 13, 15, 16, Carre and Hamilton's teachings still applied as in claim 1 above. Carre further discloses translating data type from the data base format (using semantic conversions, see col.1 lines 34-55 and col.5 line 60 to col.6 line 21). Neither Carre nor Hamilton specifically discloses the communication via an IIOP, a telephone system and a network switch. However, Kung discloses the communication via an IIOP, a telephone system and a network switch (see figs.1, 2, abstract, col.4 lines 2-59 and col.11 line 66 to col.12 line 51). It would have been obvious to one of the ordinary skill in the art at the time the invention was made to utilize Kung's teachings into the computer system of Carre to process data information because it would have provided broadband access capabilities or enhanced services for use in conjunction with a packetized network as Internet Protocol based system infrastructure.

Response to Arguments

5. Applicant's arguments filed on 3/8/2007 have been fully considered but they are not persuasive.

- Applicant asserts that the cited references do not disclose “generating a request for type information and sending a request for type information from an object request broker; wherein the type information to management one or more managed network objects”.

Examiner respectfully disagrees. Examiner respectfully point out that Carre discloses the Applicant claimed invention by showing “generating a request for type information and sending a request for type information from an object request broker, wherein the type information to management one or more managed network objects (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1) (translation of COBRA address types from OSI types, see abstract, figs.2a, 3a, abstract, col.3 lines 18 to col.5 line 62 and col.6 lines 10-35) as rejected above.

- Applicant further asserts that the cited references do not disclose a metadata gateway to receive the request for type information from the object broker.

Examiner respectfully point out that the combination of the references discloses the Applicant's claimed invention. For example, Carre discloses “generating a request for type information and sending a request for type information from an object request broker (managing operations such as OSI objects on the Agent upon requests from the Manager unit (M fig.2a) by communicating

via the Network Management Protocol CMIP, wherein the OSI objects including in different specification languages such as COBRA IDL, ASN.1) (translation of COBRA address types from OSI types, see abstract, figs.2a, 3a, abstract, col.3 lines 18 to col.5 line 62 and col.6 lines 10-35). Carre does not specifically disclose a metadata gateway. However, Hamilton discloses a metadata gateway (using subcontract server 58 fig.1 for performing data marshalling and other operations of method invocations and the resulting return messages between server 24 fig.1 and the client computer 22 fig.1, see fig.1, abstract, col.3 lines 5-67 and col.col.4 lines 14-60). It would have been obvious to an ordinary skill in the art at the time the invention was made to implement Hamilton's teachings into the computer system of Carre to process data information because it would have controlled object invocations and supported the transport of method invocations in a communications network. Therefore, the combination of the references does discloses the Applicant claimed invention.

- Applicant further asserts that the cited references do not disclose translating the type information from an interface definition language to a database format storing the type information in a metadata repository.

Examiner respectfully point out that the Carre reference discloses translating the type information from an interface definition language to a database format storing the type information in a metadata repository (using CMISE/IDL fig.3a) (using IDL protocol translation services, see abstract, figs.2a, 3a, abstract, col.3 lines 18-55 and col.5 lines 39-65), wherein the type information is stored in a database format in the metadata repository

Art Unit: 2151

(storing the OSI or COBRA structures for particular addresses already in the entity for later uses, see col.6 lines 1-35).

Therefore, the examiner asserts that cited prior art teaches or suggests the subject matter broadly recited in independent claims 1, 10, 14, 17, 22 and 27.

Claims 2-9, 11-13, 15, 16, 18-21, 23-26 and 28-31 are also rejected at least by virtue of their dependency on independent claims and by other reasons set forth in the previous office action [see paper mailed on 12/14/2006]. Accordingly, claims 1-31 are respectfully rejected.

Conclusion

6. Claims 1-31 are rejected.

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2151

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh Dinh whose telephone number is (571) 272-3936. The examiner can normally be reached on Monday through Friday from 8:00 A.m. to 5:00 P.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zarni Maung, can be reached on (571) 272-3939. The fax phone number for this group is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval IPAIRI system. Status information for published applications may be obtained from either Private PMR or Public PMR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



KHANH DINH
PRIMARY EXAMINER
TECHNOLOGY CENTER 2100